Attorney Docket No.: GEMS8081.294

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number : 7,020,868 B2

Issued March 28, 2006

Name of Patentee : Debbins et al.

Title of Invention : GRAPHIC APPLICATION DEVELOPMENT
SYSTEM FOR A MEDICAL IMAGING SYSTEM

STSTEM FOR A MEDICAL IMAGING STSTEM

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR OFFICE'S MISTAKE (37 CFR 1.322)

- It is noted that errors appear in this patent of a <u>clerical</u> nature or characterized as more fully described below and would not constitute new matter or would not require re-examination. A Certificate of Correction is requested.
 - Attached hereto is Form PTO-1050 which should be suitable for printing.
 - The errors to be corrected are as follows:
 - Col. 16, lines 12 & 13 (Claim 12), delete "medical imaging applications to produce serialized and download executable program segments" and substitute therefore – medical imaging applications to produce, serialize, and download executable program segments --.
 - 4 Please send the Certificate to:

Timothy J. Ziolkowski Ziolkowski Patent Solutions Group, SC 14135 N. Cedarburg Rd. Meguon, WI 53097-1416

Date: _5[5/06_

Registration No. 38,368 Telephone: (262) 376-5170

Facsimile: (262) 376-2994

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page _1_ of _1_

PATENT NO. : 7,020,868 B2

APPLICATION NO.: 09/839,055

ISSUE DATE : March 28, 2006

INVENTOR(S) : Debbins et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 16, lines 12 & 13 (Claim 12), delete "medical imaging applications to produce serialized and download executable program segments" and substitute therefore – medical imaging applications to produce, serialize, and download executable program segments --.

(Also Form PTO-1050)

MAILING ADDRESS OF SENDER:

Timothy J. Ziolkowski Ziolkowski Patent Solutions Group, SC 14135 N. Cedarburg Rd. Meguon, WI 53097-1416

PATENT NO: 7,020,868 B2

Bedeart live Stetment: This form is estimated to size 1.0 hours complete. Time will vary depending upon the meets of the individual case, Avronuments on the amount of time you are equated to complete this form abuddle see not the Chef information Offices, Pleast and Thisdewick Office, Washington DC 20231. DO NOT SEND FIRST OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA. 20231-14509